


**NUCOR**  
**NUCOR STEEL MARION, INC.**  
 912 CHENEY AVE, MARION, OH 43302  
 Phone: (740) 383-4011 Fax: (740) 383-9680  
 www.nucorhighway.com

**WINDLOAD  
 CHART**

**Basic Wind Speed: 85 MPH**  
**Post Count: 1**


**Post Type:** Rib-Bak U-Channel Sign Post  
**Steel Yield Strength:** 80,000 psi  
**Recurrence Interval:** 10 years  
 Basic Wind Speed (3-second gust)  
 (AASHTO 2009)



**WINDLOAD  
 CHART**

**Basic Wind Speed: 90 MPH**  
**Post Count: 1**

**Post Type:** Rib-Bak U-Channel Sign Post  
**Steel Yield Strength:** 80,000 psi  
**Recurrence Interval:** 10 years  
 Basic Wind Speed (3-second gust)  
 (AASHTO 2009)




**NUCOR**  
**NUCOR STEEL MARION, INC.**  
 912 CHENEY AVE, MARION, OH 43302  
 Phone: (740) 383-4011 Fax: (740) 383-9680  
 www.nucorhighway.com

**WINDLOAD  
 CHART**

**Basic Wind Speed: 100 MPH**  
**Post Count: 1**

**Post Type:** Rib-Bak U-Channel Sign Post  
**Steel Yield Strength:** 80,000 psi  
**Recurrence Interval:** 10 years  
 Basic Wind Speed (3-second gust)  
 (AASHTO 2009)




**NUCOR**  
**NUCOR STEEL MARION, INC.**  
 912 CHENEY AVE, MARION, OH 43302  
 Phone: (740) 383-4011 Fax: (740) 383-9680  
 www.nucorhighway.com

**WINDLOAD  
 CHART**

**Basic Wind Speed: 110 MPH**  
**Post Count: 1**

**Post Type:** Rib-Bak U-Channel Sign Post  
**Steel Yield Strength:** 80,000 psi  
**Recurrence Interval:** 10 years  
 Basic Wind Speed (3-second gust)  
 (AASHTO 2009)



# NUCOR

**NUCOR STEEL MARION, INC.**

912 CHENEY AVE, MARION, OH 43302

Phone: (740) 383-4011 Fax: (740) 383-9680

www.nucorhighway.com

## WINDLOAD CHART

Basic Wind Speed: 120 MPH

Post Count: 1


Post Type: Rib-Bak U-Channel Sign Post

Steel Yield Strength: 80,000 psi

Recurrence Interval: 10 years

Basic Wind Speed (3-second gust)

(AASHTO 2009)



# NUCOR

NUCOR STEEL MARION, INC.

912 CHENEY AVE, MARION, OH 43302

Phone: (740) 383-4011 Fax: (740) 383-9680

www.nucorhighway.com

## WINDLOAD CHART

Basic Wind Speed: 130 MPH

Post Count: 1


Post Type: Rib-Bak U-Channel Sign Post

Steel Yield Strength: 80,000 psi

Recurrence Interval: 10 years

Basic Wind Speed (3-second gust)

(AASHTO 2009)




AREA UNDER CURVE REPRESENTS ACCEPTABLE RANGE FOR A GIVEN POST WEIGHT WITH A MAXIMUM ALLOWABLE SIGN AREA AT A MAXIMUM ALLOWABLE HEIGHT TO SIGN CENTROID FROM GROUNDLINE

**WINDLOAD  
 CHART**

**Basic Wind Speed: 140 MPH**  
**Post Count: 1**

**Post Type:** Rib-Bak U-Channel Sign Post  
**Steel Yield Strength:** 80,000 psi  
**Recurrence Interval:** 10 years  
 Basic Wind Speed (3-second gust)  
 (AASHTO 2009)



# NUCOR

NUCOR STEEL MARION, INC.

912 CHENEY AVE, MARION, OH 43302

Phone: (740) 383-4011 Fax: (740) 383-9680

www.nucorhighway.com

## WINDLOAD CHART

Basic Wind Speed: 150 MPH

Post Count: 1


Post Type: Rib-Bak U-Channel Sign Post

Steel Yield Strength: 80,000 psi

Recurrence Interval: 10 years

Basic Wind Speed (3-second gust)

(AASHTO 2009)






**WINDLOAD  
 CHART**

Basic Wind Speed: **85 MPH**  
 Post Count: **2**


Post Type: Rib-Bak U-Channel Sign Post  
 Steel Yield Strength: 80,000 psi  
 Recurrence Interval: 10 years  
 Basic Wind Speed (3-second gust)  
 (AASHTO 2009)



**WINDLOAD  
 CHART**

**Basic Wind Speed: 90 MPH**  
**Post Count: 2**


**Post Type:** Rib-Bak U-Channel Sign Post  
**Steel Yield Strength:** 80,000 psi  
**Recurrence Interval:** 10 years  
 Basic Wind Speed (3-second gust)  
 (AASHTO 2009)



**WINDLOAD  
 CHART**

**Basic Wind Speed: 100 MPH**  
**Post Count: 2**

**Post Type:** Rib-Bak U-Channel Sign Post  
**Steel Yield Strength:** 80,000 psi  
**Recurrence Interval:** 10 years  
 Basic Wind Speed (3-second gust)  
 (AASHTO 2009)



AREA UNDER CURVE REPRESENTS ACCEPTABLE RANGE FOR A GIVEN POST WEIGHT WITH A MAXIMUM ALLOWABLE SIGN AREA AT A MAXIMUM ALLOWABLE HEIGHT TO SIGN CENTROID FROM GROUNDLINE

# NUCOR

NUCOR STEEL MARION, INC.

912 CHENEY AVE, MARION, OH 43302

Phone: (740) 383-4011 Fax: (740) 383-9680

www.nucorhighway.com

## WINDLOAD CHART

Basic Wind Speed: 110 MPH

Post Count: 2


Post Type: Rib-Bak U-Channel Sign Post

Steel Yield Strength: 80,000 psi

Recurrence Interval: 10 years

Basic Wind Speed (3-second gust)


(AASHTO 2009)



**WINDLOAD  
 CHART**

**Basic Wind Speed: 120 MPH**  
**Post Count: 2**

**Post Type:** Rib-Bak U-Channel Sign Post  
**Steel Yield Strength:** 80,000 psi  
**Recurrence Interval:** 10 years  
 Basic Wind Speed (3-second gust)  
 (AASHTO 2009)




**NUCOR**  
**NUCOR STEEL MARION, INC.**  
 912 CHENEY AVE, MARION, OH 43302  
 Phone: (740) 383-4011 Fax: (740) 383-9680  
 www.nucorhighway.com

**WINDLOAD  
 CHART**

**Basic Wind Speed: 130 MPH**  
**Post Count: 2**


**Post Type:** Rib-Bak U-Channel Sign Post  
**Steel Yield Strength:** 80,000 psi  
**Recurrence Interval:** 10 years  
 Basic Wind Speed (3-second gust)  
 (AASHTO 2009)



**WINDLOAD  
 CHART**

**Basic Wind Speed: 140 MPH**  
**Post Count: 2**

**Post Type:** Rib-Bak U-Channel Sign Post  
**Steel Yield Strength:** 80,000 psi  
**Recurrence Interval:** 10 years  
 Basic Wind Speed (3-second gust)  
 (AASHTO 2009)



AREA UNDER CURVE REPRESENTS ACCEPTABLE RANGE FOR A GIVEN POST WEIGHT WITH A MAXIMUM ALLOWABLE SIGN AREA AT A MAXIMUM ALLOWABLE HEIGHT TO SIGN CENTROID FROM GROUNDLINE

# NUCOR

NUCOR STEEL MARION, INC.

912 CHENEY AVE, MARION, OH 43302

Phone: (740) 383-4011 Fax: (740) 383-9680

www.nucorhighway.com

## WINDLOAD CHART

Basic Wind Speed: 150 MPH

Post Count: 2


Post Type: Rib-Bak U-Channel Sign Post

Steel Yield Strength: 80,000 psi

Recurrence Interval: 10 years

Basic Wind Speed (3-second gust)

(AASHTO 2009)





# NUCOR

NUCOR STEEL MARION, INC.

912 CHENEY AVE, MARION, OH 43302

Phone: (740) 383-4011 Fax: (740) 383-9680

www.nucorhighway.com

## WINDLOAD CHART

Basic Wind Speed: 85 MPH

Post Count: 3


Post Type: Rib-Bak U-Channel Sign Post

Steel Yield Strength: 80,000 psi

Recurrence Interval: 10 years

Basic Wind Speed (3-second gust)

(AASHTO 2009)



# NUCOR

NUCOR STEEL MARION, INC.

912 CHENEY AVE, MARION, OH 43302

Phone: (740) 383-4011 Fax: (740) 383-9680

www.nucorhighway.com

## WINDLOAD CHART

Basic Wind Speed: 90 MPH

Post Count: 3


Post Type: Rib-Bak U-Channel Sign Post

Steel Yield Strength: 80,000 psi

Recurrence Interval: 10 years

Basic Wind Speed (3-second gust)

(AASHTO 2009)



# NUCOR

NUCOR STEEL MARION, INC.

912 CHENEY AVE, MARION, OH 43302

Phone: (740) 383-4011 Fax: (740) 383-9680

www.nucorhighway.com

## WINDLOAD CHART

Basic Wind Speed: 100 MPH

Post Count: 3


Post Type: Rib-Bak U-Channel Sign Post

Steel Yield Strength: 80,000 psi

Recurrence Interval: 10 years

Basic Wind Speed (3-second gust)


(AASHTO 2009)



**WINDLOAD  
 CHART**

**Basic Wind Speed: 110 MPH**  
**Post Count: 3**

**Post Type:** Rib-Bak U-Channel Sign Post  
**Steel Yield Strength:** 80,000 psi  
**Recurrence Interval:** 10 years  
 Basic Wind Speed (3-second gust)  
 (AASHTO 2009)




AREA UNDER CURVE REPRESENTS ACCEPTABLE RANGE FOR A GIVEN POST WEIGHT WITH A MAXIMUM ALLOWABLE SIGN AREA AT A MAXIMUM ALLOWABLE HEIGHT TO SIGN CENTROID FROM GROUNDLINE

**WINDLOAD  
 CHART**

**Basic Wind Speed: 120 MPH**  
**Post Count: 3**

**Post Type:** Rib-Bak U-Channel Sign Post  
**Steel Yield Strength:** 80,000 psi  
**Recurrence Interval:** 10 years  
 Basic Wind Speed (3-second gust)  
 (AASHTO 2009)



AREA UNDER CURVE REPRESENTS ACCEPTABLE RANGE FOR A GIVEN POST WEIGHT WITH A MAXIMUM ALLOWABLE SIGN AREA AT A MAXIMUM ALLOWABLE HEIGHT TO SIGN CENTROID FROM GROUNDLINE

# NUCOR

NUCOR STEEL MARION, INC.

912 CHENEY AVE, MARION, OH 43302

Phone: (740) 383-4011 Fax: (740) 383-9680

www.nucorhighway.com

## WINDLOAD CHART

Basic Wind Speed: 130 MPH

Post Count: 3


Post Type: Rib-Bak U-Channel Sign Post

Steel Yield Strength: 80,000 psi

Recurrence Interval: 10 years

Basic Wind Speed (3-second gust)

(AASHTO 2009)



# NUCOR

NUCOR STEEL MARION, INC.

912 CHENEY AVE, MARION, OH 43302

Phone: (740) 383-4011 Fax: (740) 383-9680

www.nucorhighway.com

## WINDLOAD CHART

Basic Wind Speed: 140 MPH

Post Count: 3


Post Type: Rib-Bak U-Channel Sign Post

Steel Yield Strength: 80,000 psi

Recurrence Interval: 10 years

Basic Wind Speed (3-second gust)

(AASHTO 2009)



# NUCOR

NUCOR STEEL MARION, INC.

912 CHENEY AVE, MARION, OH 43302

Phone: (740) 383-4011 Fax: (740) 383-9680

www.nucorhighway.com

## WINDLOAD CHART

Basic Wind Speed: 150 MPH

Post Count: 3

Post Type: Rib-Bak U-Channel Sign Post

Steel Yield Strength: 80,000 psi

Recurrence Interval: 10 years

Basic Wind Speed (3-second gust)

(AASHTO 2009)

